

PROJECT NAME: _____

DATE: _____

JOB LOCATION: _____

SPECIFIER: _____

GENERAL INFORMATION

Please choose **one** option from each category

Application

- Residential
 Commercial

Location

- Interior
 Exterior

Configuration

- Single
 Pair

STANDARD DOOR SIZES

Please choose **one** size option from either the Single Door list or Pair of Doors list.

Single Door

Nominal Door Opening: (size per leaf)	Finished Frame Opening: (single door)	Rough Opening: ¹ (single door)
<input type="checkbox"/> 3'0" x 6'8"	3'0" x 6'8"	3'4-1/2" x 6'10-1/4"
<input type="checkbox"/> 3'0" x 7'0"	3'0" x 7'0"	3'4-1/2" x 7'2-1/4"
<input type="checkbox"/> 3'0" x 8'0"	3'0" x 7'10"	3'4-1/2" x 8'0-1/4"
<input type="checkbox"/> 3'0" x 9'0"	3'0" x 9'0"	3'4-1/2" x 9'2-1/4"
<input type="checkbox"/> 3'0" x 10'0"	3'0" x 9'10-3/8"	3'4-1/2" x 10'0-5/8"
<input type="checkbox"/> 3'6" x 7'0"	3'6" x 7'0"	3'10-1/2" x 7'2-1/4"
<input type="checkbox"/> 3'6" x 8'0"	3'6" x 7'10"	3'10-1/2" x 8'0-1/4"
<input type="checkbox"/> 3'6" x 9'0"	3'6" x 9'0"	3'10-1/2" x 9'2-1/4"
<input type="checkbox"/> 3'6" x 10'0"	3'6" x 9'10-3/8"	3'10-1/2" x 10'0-5/8"
<input type="checkbox"/> 4'0" x 8'0"	3'10" x 7'10"	4'2-1/2" x 8'0-1/4"
<input type="checkbox"/> 4'0" x 9'0"	3'10" x 9'0"	4'2-1/2" x 9'2-1/4"
<input type="checkbox"/> 4'0" x 10'0"	3'10" x 9'10-3/8"	4'2-1/2" x 10'0-5/8"
<input type="checkbox"/> Custom Size ²		

Pair of Doors

Nominal Door Opening: (size per leaf)	Finished Frame Opening: (pair of doors)	Rough Opening: ¹ (pair of doors)
<input type="checkbox"/> 3'0" x 6'8"	5'11-15/16" x 6'8"	6'4-7/16" x 6'10-1/4"
<input type="checkbox"/> 3'0" x 7'0"	5'11-15/16" x 7'0"	6'4-7/16" x 7'2-1/4"
<input type="checkbox"/> 3'0" x 8'0"	5'11-15/16" x 7'10"	6'4-7/16" x 8'0-1/4"
<input type="checkbox"/> 3'0" x 9'0"	5'11-15/16" x 9'0"	6'4-7/16" x 9'2-1/4"
<input type="checkbox"/> 3'0" x 10'0"	5'11-15/16" x 9'10-3/8"	6'4-7/16" x 10'0-5/8"
<input type="checkbox"/> 3'6" x 7'0"	6'11-15/16" x 7'0"	7'4-7/16" x 7'2-1/4"
<input type="checkbox"/> 3'6" x 8'0"	6'11-15/16" x 7'10"	7'4-7/16" x 8'0-1/4"
<input type="checkbox"/> 3'6" x 9'0"	6'11-15/16" x 9'0"	7'4-7/16" x 9'2-1/4"
<input type="checkbox"/> 3'6" x 10'0"	6'11-15/16" x 9'10-3/8"	7'4-7/16" x 10'0-5/8"
<input type="checkbox"/> 4'0" x 8'0"	7'7-15/16" x 7'10"	8'0-7/16" x 8'0-1/4"
<input type="checkbox"/> 4'0" x 9'0"	7'7-15/16" x 9'0"	8'0-7/16" x 9'2-1/4"
<input type="checkbox"/> 4'0" x 10'0"	7'7-15/16" x 9'10-3/8"	8'0-7/16" x 10'0-5/8"
<input type="checkbox"/> Custom Size ²		

¹ Sizes shown indicate the recommended rough opening size to facilitate installation of standard F+S designs and door sizes. Actual rough opening sizes may vary and may affect standard sizing and pricing.

² Custom door sizes are available by special order. For some door configurations, fire or other performance ratings may impose limitations on door and frame sizes. Please call to confirm available sizes for your particular application.

QUANTITY

Number of Frames: _____

DOOR CONFIGURATION

Door Material

Please select **one** Material and Finish.

Stainless Steel

- Sandstone
- Seastone
- Linen
- Diamond
- Satin
- Mirror

Fused Metal®

- Fused Bronze, Sandstone
- Fused Bronze, Seastone
- Fused Bronze, Linen
- Fused Bronze, Satin
- Fused Bronze, Mirror
- Fused Graphite, Sandstone
- Fused Graphite, Seastone
- Fused Graphite, Linen
- Fused Graphite, Satin
- Fused Graphite, Mirror
- Fused Nickel Bronze, Sandstone
- Fused Nickel Bronze, Seastone
- Fused Nickel Bronze, Linen
- Fused Nickel Bronze, Satin
- Fused Nickel Bronze, Mirror
- Fused Nickel Silver, Sandstone
- Fused Nickel Silver, Seastone
- Fused Nickel Silver, Linen
- Fused Nickel Silver, Satin
- Fused Nickel Silver, Mirror
- Fused White Gold, Sandstone
- Fused White Gold, Seastone
- Fused White Gold, Linen
- Fused White Gold, Satin
- Fused White Gold, Mirror


Fire-Rated Option

Fire-Rated Door Frame

- Yes No

FIG. 1: STANDARD PROFILE

Other profiles are available, call for details.



Throat Opening Options

- Standard 4-3/4" opening
 - Other size opening (specify): _____
- NOTE: Up to a maximum throat depth of 8-3/4"

Anchoring Options

Please select **one** anchoring option.

- Steel Stud
- Wood Stud
- Masonry
- Punch and Dimple

SUGGESTED HARDWARE

Deadbolt

- Prep Only
- Prep & Supply
- None



- Schlage B662P - double keyed Schlage B660P - keyed/thumbturn Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Hinges

- Prep Only
- Prep & Supply
- None



- Stanley FBB199 Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Roller Latch

- Prep Only
- Prep & Supply
- None



- Trimco 1559 Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Flush Bolts (only if pair of doors)

- Prep Only
- Prep & Supply
- None



- Trimco 3917 Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Pivots

- Prep Only
- Prep & Supply
- None



- Rixson Make: _____ Finish: _____
- Model: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Mortise Lock

- Prep Only
- Prep & Supply
- None



- Schlage L Series Make: _____ Finish: _____
- Model: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Concealed Closer*

- Prep Only
- Prep & Supply
- None



- LCN 2000 Series Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

Exit/Panic Device*

- Prep Only
- Prep & Supply
- None



- Von Duprin 9947 Finish: _____
- Other (specify) Make: _____ Finish: _____
- Model: _____

*Items marked are common in commercial applications.

- Suggested hardware represents selections that best suit Forms+Surfaces® door products. Suggested hardware may be subject to substitution by a different brand name product of equal quality and functionality.
- Hardware listed above represents suggested use only. Purchasing parties are wholly responsible for verifying that all hardware selections are appropriate and correct in all respects for their intended applications.