The Avivo Chair is constructed of durable materials. The chair is ergonomic, low maintenance, recyclable and easy to disassemble. The frame, seats and back are formed from 100% recyclable, corrosion resistant aluminum. Powdercoat finishes are no- or low-VOC.

Recycled Content & Certifications

Configurations	Post- Industrial Recycled Content	Post- Consumer Recycled Content	Total Recycled Content	3 rd Party Certifications
Avivo Chair	12%	47%	59%	-
Avivo Chair, with armrests	11%	48%	59%	-

Green Building Standards

LEED[®] v3

- MR2: Construction Waste Management packaging is designed to be reusable or recyclable. See below for details.
- MR4: Recycled Content this product contains recycled material. Please contact for details.
- MR5: Regional Materials this product is manufactured in Pittsburgh, PA. Please contact for details.
- IEQp2: Environmental Tobacco this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.

LEED v4

- MRp2/MR5: Construction Waste Management packaging is designed to be reusable or recyclable. See below for details.
- MR3: Sourcing of Raw Matls. (recycled content) this product contains recycled material. Please contact for details.
 - (regional materials) this product is manufactured in Pittsburgh, PA. Contact for details.
- MR4: Material Ingredients this product has a Health Product Declaration. Contact for details.
- EQp2: Environmental tobacco smoke control this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.
- EQ2: Low-emitting Materials inherently non-emitting sources. Contact for details.

Green Globes™

- 3.5.4.1 Construction Waste packaging is designed to be reusable or recyclable. See below for details.
- 3.5.6.3 Deconstruction and Disassembly this product can be disassembled to separate recyclable components.
- 3.7.2.1 Volatile Organic Compounds inherently non-emitting sources. Contact for details.
- 3.7.2.9 Other Indoor Pollutants (Tobacco...) this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.

Estidama Pearl Rating System: Design & Construction, Version 1.0

- LBi-R2: Smoking Control this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
- LBi-2.5: Material Emissions: Formaldehyde Reduction inherently non-emitting sources. Contact for details.
- SM-R1: Hazardous Material Elimination product contains no ACMs and no CCA-treated timber.
- SM-R2/SM-13: Construction Waste Management packaging is designed to be reusable or recyclable. See below for details.

SITES v2 Rating System

- Materials C5.3: Design for adaptability and disassembly this product can be disassembled to separate recyclable components.
- Materials C5.5: Use recycled content materials this product contains recycled material. Please contact for details.
- Materials C5.6: Use regional materials this product is manufactured in Pittsburgh, PA. Contact for extraction information.
- Materials C5.8: Support transparency and safer chemistry this product has a Health Product Declaration. Contact for details.
- HHWB C6.10: Minimize exposure to environmental tobacco smoke (ETS) this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
- Construction C7.5: Divert construction and demolition materials from disposal packaging is designed to be reusable or recyclable. See below for details.

Product Materials

Material	Description	Mainte- nance (0-5)*	Inherent Value (0-5)**	Biodegrad- able	Corrosion/ Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Aluminum	Corrosion-resistant metal that is suitable for many fabrication methods.	3	3		x		x	
Polyethylene	Thermoplastic, petroleum-based polymer, used for a broad range of molded and extruded products.	4	0		х		х	

^{*}Maintenance ratings are assigned as follows: 0 – High level of maintenance required to keep up product performance and aesthetics; 5 – Absolutely no maintenance required to keep up product's visual appearance and performance characteristics;

Processes

Process	Description
Aluminum Making	A two-step process by which the aluminum is first dissolved in a caustic bath and then precipitated out in crystals. This two-step process can be circumvented by using recycled scrap that is melted down to form new parts.
Aluminum Treatment	Aluminum receives a treatment to improve corrosion resistance and coating adhesion.
Casting	The process of creating a solid object by pouring molten metal into a mold and allowing it to cool.
Cutting	A variety of methods may be used to cut through various materials.
Forming	A mechanical process used to alter the shape of metal.
Machining	A form of subtractive or additive manufacturing often requiring specialty tooling to physically remove or add material to achieve a desired geometry.
Powdercoating	A solvent-free finishing method in which electrically charged particles of pigmented resins are sprayed onto a product. Electrical grounding of the coated object causes the charged powder to adhere to the surface. When baked in a curing oven the deposited powder melts and fuses together to form a durable, cross-linked coating.
Sand Blasting	The process of smoothing, shaping and cleaning a hard surface by forcing solid particles across that surface at high speeds to provide an even finish.

Packaging Materials

ackaging materials				
Material	Туре	Description	Disposal	
Cardboard	Вох	Small or light products are packaged in cardboard boxes. Reused for shipping.	Reuse/Recycle	
Foam	Sheets	Micro foam sheets are used to protect the finish on products.	Reuse	
Plastic	Band	Banding is used to keep products secured to a pallet during transport.	Recycle	
Plastic	Shrink wrap	Shrink wrap is used to protect the finish on products and also to hold padding to products.	Recycle	
Steel	Band	Banding is used to keep products secured to a pallet during transport.	Recycle	
Wood	Crate	Wood crates are made to fit onsite and are reused when possible. Wood scraps are recycled into mulch.	Reuse/Recycle	
Wood	Pallet	Used in shipping. Reused onsite until no longer serviceable, then recycled.	Reuse/Recycle	

Transport

Method	Туре	Description		
Boat	Overseas	Some product components are shipped by cargo ship from overseas.		
Ground	Truck/Rail	Some incoming shipments and almost all outgoing shipments to customers are sent via ground transportation. This can include truck and often rail transport depending on the final destination. We are an EPA SmartWay® Transport Partner.		

FORMS+SURFACES®

^{**}Inherent value ratings are assigned based on the material's scrap value: 0 – No scrap value, or negative scrap value, and/or no scrap market; 5 – High scrap value, accompanied by robust scrap market

Maintenance & Use

Maintenance or Use	Description	Chemicals Required
Clean with Water and Mild Cleaner	This product requires a damp cloth and a mild, nontoxic cleaner for maintenance.	Mild, water-based cleaner
Ergonomic	Product is designed for ergonomic use, which will contribute to service life.	N/A
Tobacco Smoke Control	This product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.	N/A

Disposal

Method	Description
Disassemble	Product can be disassembled to separate recyclable components.
Recyclable - Fully	Product is fully recyclable.
Recycling - Scrap	Materials can be sold for scrap.
Reuse	This item can be reused in the same or different function.

Forms+Surfaces is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being exemplary corporate citizens. If you would like additional information on our Environmental Management System or our company environmental initiatives and policies, please feel free to contact our Sustainability Team at green@forms-surfaces.com.