



AVIVO™ TABLE

PRODUCT DATA






Avivo Tables bring a distinctly F+S point of view to café seating. Tables in three sizes have frames of beautifully detailed aluminum with a powdercoat finish. Top options include powdercoated aluminum with or without perforations; VividGlass; and FSC® 100% Cumaru hardwood slats. Blending modern aesthetics with versatile design options, the Avivo family includes chairs, bar stools, and tables in a variety of sizes and styles and is at home indoors and out.

MATERIAL & CONSTRUCTION DETAILS

INSTALLATION & MAINTENANCE

MATERIALS & FINISHES	UMBRELLA HOLE	INSTALLATION
<ul style="list-style-type: none"> Table frame of extruded aluminum has cast aluminum legs; frame and legs have a powdercoat finish. 40x180" table has interim leg for added support. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. All Forms+Surfaces powdercoat colors have been formulated to be ultra-durable for improved long-term wear and resistance to weathering. Our powdercoat colors are also anti-graffiti, allowing marks from paint, permanent markers, and dirt to be easily removed. Due to the inherent nature of metal castings, gloss powdercoats are not offered for cast components. 	<ul style="list-style-type: none"> Table tops may be specified with or without a center hole to receive a 1.5" (38 mm) - 1.75" (44.5 mm) diameter umbrella pole. When an umbrella hole is specified, a nylon collar and cap are included. 	<ul style="list-style-type: none"> Tables can be freestanding with nylon leveling feet or surface mounted. Stainless steel mounting hardware sold separately.
	TABLE TOP INSET OPTIONS	MAINTENANCE
	<ul style="list-style-type: none"> 40x40" table top has single inset; 40x90" table top has three 40x30" insets; 40x180" table top has six 40x30" insets. Aluminum insets are available with or without perforation and will be powdercoated to match the frame. FSC® 100% Cumaru hardwood slats have a natural oiled finish that enhances the wood's rich color (FSC License Code: FSC-C004453). Glass inset available in ViviGraphix Graphica laminated glass in standard Shift pattern or can be customized using our vast VividGlass line. All glass insets are tempered. 	<ul style="list-style-type: none"> Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners. FSC® 100% Cumaru hardwood slats can be maintained by re-oiling as needed with linseed oil. Avoid abrasive cleaners and spray polishes. VividGlass surfaces can be maintained using standard commercial, non-streaking cleaners and polishes formulated for use on glass.

NOMINAL DIMENSIONS




MODEL	OVERALL WIDTH	OVERALL LENGTH	OVERALL HEIGHT*	WEIGHT
STAVO-T4040W	40.0" (1016 mm)	40.0" (1016 mm)	29.5" (749 mm)	79.2 lbs (36 kg)
STAVO-T4040L	40.0" (1016 mm)	40.0" (1016 mm)	29.5" (749 mm)	113 lbs (51 kg)
STAVO-T4040A	40.0" (1016 mm)	40.0" (1016 mm)	29.5" (749 mm)	78 lbs (35 kg)

*Includes nylon leveling feet.


See Page 4 for complete model number descriptions.



NOMINAL DIMENSIONS CONTINUED



MODEL	OVERALL WIDTH	OVERALL LENGTH	OVERALL HEIGHT*	WEIGHT
STAVO-T4090W	40.0" (1016 mm)	90.0" (2286 mm)	29.5" (749 mm)	153 lbs (69 kg)
STAVO-T4090L	40.0" (1016 mm)	90.0" (2286 mm)	29.5" (749 mm)	225.3 lbs (102 kg)
STAVO-T4090A	40.0" (1016 mm)	90.0" (2286 mm)	29.5" (749 mm)	147.5 lbs (67 kg)



MODEL	OVERALL WIDTH	OVERALL LENGTH	OVERALL HEIGHT*	WEIGHT
STAVO-T40180W	40.0" (1016 mm)	180.0" (4572 mm)	29.5" (749 mm)	292 lbs (132 kg)
STAVO-T40180L	40.0" (1016 mm)	180.0" (4572 mm)	29.5" (749 mm)	436 lbs (198 kg)
STAVO-T40180A	40.0" (1016 mm)	180.0" (4572 mm)	29.5" (749 mm)	277.7 lbs (126 kg)


*Includes nylon leveling feet.

See Page 4 for complete model number descriptions.




ALUMINUM TABLE TOP OPTIONS

RIVA PERFORATION



SOLID



VIVIGRAPHX GRAPHICA LAMINATED GLASS TABLE TOP PATTERN

SHIFT



Note: The Riva perforation and glass patterns are shown in the 40x40" table configuration. Patterns may vary for other table sizes.



AVIVO™ TABLE

PRODUCT DATA

ADA COMPLIANCE

- Avivo Tables 40x40", 40x90" and 40x180" are ADA compliant.

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Avivo Table Environmental Data Sheet for detailed environmental impact information.
- Avivo Tables have high recycled content and are highly recyclable.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.

MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
STAVO-T4040W	Avivo Table, 40x40", FSC® 100% Cumaru hardwood slat inset
STAVO-T4040L	Avivo Table, 40x40", ViviGraphix Graphica laminated glass inset
STAVO-T4040A	Avivo Table, 40x40", aluminum inset
STAVO-T4090W	Avivo Table, 40x90", FSC® 100% Cumaru hardwood slat inset
STAVO-T4090L	Avivo Table, 40x90", ViviGraphix Graphica laminated glass inset
STAVO-T4090A	Avivo Table, 40x90", aluminum inset
STAVO-T40180W	Avivo Table, 40x180", FSC® 100% Cumaru hardwood slat inset
STAVO-T40180L	Avivo Table, 40x180", ViviGraphix Graphica laminated glass inset
STAVO-T40180A	Avivo Table, 40x180", aluminum inset

PRODUCT OPTIONS

The following options are available for an upcharge

VividGlass laminated glass inset	Umbrella hole
Stainless steel mounting hardware	Custom RAL powdercoat color

LEAD TIME: 6 to 8 weeks. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, powdercoat color, tabletop inset, and freestanding or surface mount. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.