


# **WOOD VENEER**

PRODUCT DATA





# **WOOD VENEER**

PRODUCT DATA

**Wood Veneer** combines exceptional durability with the warmth and richness of real wood. Whether prominently featured or used as an accent, our standard veneers offer versatile options for walls, columns and elevator interiors.

### PRODUCTS & APPLICATIONS

DESCRIPTION	F+S SYSTEMS
<ul> <li>Wood veneer is a naturally sourced product so variations in color and grain patterning may occur.</li> <li>All veneers are finished with three coats of CAB acrylic lacquer for superior abrasion resistance and non-yellowing performance while maintaining the richness and authenticity of genuine wood. The finished surfaces have a satin-like appearance.</li> <li>Standard veneer sizes are 48" x 120" (1,219mm x 3,048mm).</li> <li>Custom sizes may be available for an additional charge and may require a longer lead time. Please call to discuss the specific needs of your request.</li> <li>Veneers are available exclusively in the F+S Systems listed at right.</li> </ul>	LEVELr Wall Cladding System  LEVELr Column System  LEVELr Elevator Interiors  LEVELe Wall Cladding System  LEVELe Column System  LEVELe Elevator Interiors  LEVELc-2000 Elevator Interiors

#### STANDARD VENEERS

Due to the inherent characteristics of wood veneer, significant variations in color and grain patterning between any issued control samples, compared to, as well as within, actual production runs should be anticipated.





CHERRY









WALNUT WHITE OAK, PLAIN



# **WOOD VENEER**

PRODUCT DATA

### **MAINTENANCE & FIRE RATING**

ROUTINE MAINTENANCE	FIRE RATING
Veneer surfaces can be maintained using standard commercial cleaners and polishes formulated for use on interior woods. Additional details can be found in the Architectural Surfaces Care & Maintenance document on our website.	Wood Veneer is NFPA and IBC class A fire rated and UBC class 1 fire rated.

### **ENVIRONMENTAL CONSIDERATIONS**

Please refer to the Wood Veneer Product Environmental Data Sheet for detailed environmental impact information.

### **HOW TO SPECIFY**

Please contact us at 800.451.0410 or sales@forms-surface.com to order.

