CASTGLASS™ INTERVALS MONOLITHIC

			DESIGN GUIDE		
PROJECT NAME:		DATE:	DATE:		
JOB LOCATION:		SPECIFIER:	SPECIFIER:		
PLEASE USE ADOB	BE READER OR ADOBE ACROBAT TO FILL O	OUT AND SAVE FORM. USING OTHER PROGRAMS COULD	SAVE FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.		
		APPLICATIONS			
If you select a Forms+Surfaces System, ple	ease skip the Project Details, Lite Desc	riptions and Glass Characteristics sections.			
Forms+Surfaces Systems		Other Applications*	Other Applications*		
Glass Doors		Loose Lite(s)	Loose Lite(s)		
Stile & Rail Doors		Other:	Other:		
		*For Other Applications, please fill out a	*For Other Applications, please fill out all sections.		
		PROJECT DETAILS			
Please choose one option from each categ	gory.				
Installation Type	Glass Thickness	Environment	Lighting Conditions		
Captured Top & Bottom Only	1/4" (6 mm)	Interior, Standard Humidity	Natural		
Fully Framed	3/8" (10 mm)	☐ Interior, High Humidity	☐ Backlit		
Mounted to a Solid Substrate	1/2" (12 mm)	Exterior, Exposed Setting	Spotlight		
Curtain Wall/IGU		Exterior, Covered Setting	Other (please provide details):		
Post Mounted with Holes					
Water Feature					
		LITE DESCRIPTION			
Description (include part number, if available)		Quantity	Size (width x height)		
	GL	ASS CHARACTERISTICS			
Please choose one option from each categorial	gory.				
Safety Standards	Glass Type	Profile			
Monolithic and Tempered*	Clear	Flat	Flat		
Laminated and Annealed**	Low Iron	Curved (please attach drawing)	Curved (please attach drawing)		
Laminated and Tempered**					
*Tempering is required for load bearing h	oles and cutouts.	and appendix the Drawlant Data Object on all () 1 "	_		

FORMS+SURFACES®

^{*}Available thicknesses vary by texture. Some textures cannot be laminated. Please consult the Product Data Sheet or call for details.

STANDARD TEXTURES

Please choose one texture option below.





Locus



Octave



Origin



Prose



Verse



 $\label{lem:please} \textit{Please send completed forms to } \textbf{sales@forms-surfaces.com} \ \textit{or contact us at } \textbf{800.451.0410} \ \textit{with any questions}.$

		SURFACE TREATMENT OPT	TONS				
Backcoating and sandblasting can be selected together. If no surface treatment is desired, skip this category.							
Backcoated Transparent Frosted Opaque Color:			Sandblasted Sandblasted %				
		PROCESSING REQUIREME	INTS				
Please choose all options that apply and p	provide detail as needed.						
Kiln Polished Edges Flat Machine Polished Edges	☐ Top☐ Top	Bottom Bottom	Left Side Left Side	Right Side Right Side			
Flanges* Flanges Location	Yes Vertical	No Horizontal					
Notches** Internal Cutouts** Pattern Cuts** Tempering Decal** Holes**	Yes Yes Yes Yes Yes Yes	No					
*Not all textures are available with flanges. Please contact us for details on texture availability. **If yes for any of the above options, please attach drawing.							
NOTES							

FORMS+SURFACES®