




ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA





ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

Round Door Pulls offer a clean, cost-efficient solution for a broad range of applications. Pulls of stainless steel, bronze and brass are beautifully finished and grouped by diameter size into four distinct series. Each series includes a range of sizes, shapes and styles for maximum versatility.

SERIES DETAILS

DT600 SERIES	DT1000 SERIES	DT1200 SERIES	DT1500 SERIES
DT600 Series is a small-scale version of Round Door Pulls with 0.625" (16mm) dia. sections in solid Stainless Steel, Bronze and Brass.	DT1000 Series is a medium-scale version of Round Door Pulls with 1" (25mm) dia. round tubular sections in Stainless Steel, Bronze and Brass.	DT1200 Series is a large-scale version of Round Door Pulls with 1.25" (32mm) dia. round tubular sections in Stainless Steel, Bronze and Brass. In addition to door pull applications, DT1211 and DT1214 are available as ADA compliant handrails in our Elevator Interiors. Please call or visit our website for more information.	DT1500 Series is the largest-scale version of Round Door Pulls with 1.5" (38mm) dia. round tubular sections in Stainless Steel, Bronze and Brass. In addition to door pull applications, DT1511 and DT1514 are available as ADA compliant handrails in our Elevator Interiors. Please call or visit our website for more information.

SERIES DESCRIPTIONS

GRIPS	SERIES	GRIP DIAMETER
	DT600	0.625" (16mm)
	DT1000	1" (25mm)
	DT1200	1.25" (32mm)
	DT1500	1.5" (38mm)

END CAPS	MODEL	END CAP DIAMETER
	DT1001	1" (25mm)
	DT1201	1.25" (32mm)
	DT1501	1.5" (38mm)

ENGRAVING

Engraved lettering with black infill is available for all Round Door Pulls except the DT600 Series. Please contact Inside Sales for more information.

HOW TO SPECIFY

Provide model number, center-to-center (c.c.) dimension, quantity, metal and finish, mounting option, door material and thickness and engraving (if applicable). Refer to the standalone Door Hardware Price List on our website for list pricing.



ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

PRODUCT DETAILS

The following applies to all Round Door Pull designs shown on pages 3-7.







MATERIAL & FINISH			MAINTENANCE
Stainless Steel	US32	Polished Stainless Steel	Round Door Pulls are well-suited for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull. For more information, please refer to the Door Hardware Care & Maintenance document found on our website.
	US32D	Satin Stainless Steel	
	SSS	Stippled Stainless Steel	
Bronze	US9	Polished Bronze	
	US10	Satin Bronze	
	US10B	Oil-Rubbed Bronze	
Brass	US3	Polished Brass	
	US4	Satin Brass	

MOUNTING OPTIONS

Round Door Pulls are installed using Mounting Systems "A" or "B" as shown below. To ensure a secure installation, a thread-locking adhesive such as Loctite® is recommended. For more information, refer to the Door Pull Installation Manual on our website.







MOUNTING SYSTEM "A"

For DT600 Series and DT1014 Door Pulls.

					
A1	A2	A3	A4*	A5	A6
Single mount	Single mount	Concealed single mount	Concealed single mount	Back-to-back mount	Back-to-back mount
Solid wood core or hollow metal door with through bolt.	Tempered glass, solid wood core or hollow metal door with end cap purchased separately.	Hollow metal door with Rota-Lok and customer's reinforcement.	Solid wood core door with threaded insert and Rota-Lok.	Solid wood core or hollow metal door with Rota-Lok.	Tempered glass door with Rota-Lok.

MOUNTING SYSTEM "B"

For DT1000-DT1500 Series door pulls (except DT1014).

					
B1	B2	B3	B4*	B5	B6
Single mount	Single mount	Concealed single mount	Concealed single mount	Back-to-back mount	Back-to-back mount
Solid wood core or hollow metal door with through bolt.	Tempered glass, solid wood core or hollow metal door with end cap purchased separately.	Hollow metal door with Rota-Lok and customer's reinforcement.	Solid wood core door with threaded insert and Rota-Lok.	Solid wood core or hollow metal door with Rota-Lok.	Tempered glass door with Rota-Lok.

*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.




ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

MOUNTING OPTIONS, CONTINUED

"L" CONFIGURATION



Comprised of two door pulls, one end of each pull is mounted back-to-back, while the remaining ends are single-mounted. Mounting options are dependent on the door type and door pulls being utilized.

For additional information, refer to the Door Pull Mounting Options guide or Door Pull Installation Manual on our website.

*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.

DESIGN OPTIONS - DT600 SERIES

0.625" (16mm) dia. SOLID SECTIONS																								
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>6" (152mm)</td> <td>6.625" (168mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>12.625" (321mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>18.625" (473mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>24.625" (625mm)</td> </tr> </tbody> </table>	c.c	oal	6" (152mm)	6.625" (168mm)	12" (305mm)	12.625" (321mm)	18" (457mm)	18.625" (473mm)	24" (610mm)	24.625" (625mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>12.625" (321mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>18.625" (473mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>24.625" (625mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	12.625" (321mm)	18" (457mm)	18.625" (473mm)	24" (610mm)	24.625" (625mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>12.625" (321mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	12.625" (321mm)
c.c	oal																							
6" (152mm)	6.625" (168mm)																							
12" (305mm)	12.625" (321mm)																							
18" (457mm)	18.625" (473mm)																							
24" (610mm)	24.625" (625mm)																							
c.c	oal																							
12" (305mm)	12.625" (321mm)																							
18" (457mm)	18.625" (473mm)																							
24" (610mm)	24.625" (625mm)																							
c.c	oal																							
12" (305mm)	12.625" (321mm)																							
DT0611	DT0621	DT0631																						



ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

DESIGN OPTIONS - DT1000 SERIES

1" (25mm) dia. ROUND TUBULAR SECTIONS																																										
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> <tr> <td>30" (762mm)</td> <td>31" (787mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37" (940mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)	30" (762mm)	31" (787mm)	36" (914mm)	37" (940mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>18" (457mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>24" (610mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>30" (762mm)</td> </tr> <tr> <td>30" (762mm)</td> <td>36" (914mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>42" (1067mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	30" (762mm)	36" (914mm)	36" (914mm)	42" (1067mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10" (254mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> </tbody> </table> <p style="text-align: center;">DT1021</p> <table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>8" (203mm)</td> <td>9" (229mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> </tbody> </table>	c.c	oal	9" (229mm)	10" (254mm)	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)	c.c	oal	8" (203mm)	9" (229mm)	12" (305mm)	13" (330mm)
c.c	oal																																									
12" (305mm)	13" (330mm)																																									
18" (457mm)	19" (483mm)																																									
24" (610mm)	25" (635mm)																																									
30" (762mm)	31" (787mm)																																									
36" (914mm)	37" (940mm)																																									
c.c	oal																																									
12" (305mm)	18" (457mm)																																									
18" (457mm)	24" (610mm)																																									
24" (610mm)	30" (762mm)																																									
30" (762mm)	36" (914mm)																																									
36" (914mm)	42" (1067mm)																																									
c.c	oal																																									
9" (229mm)	10" (254mm)																																									
12" (305mm)	13" (330mm)																																									
18" (457mm)	19" (483mm)																																									
24" (610mm)	25" (635mm)																																									
c.c	oal																																									
8" (203mm)	9" (229mm)																																									
12" (305mm)	13" (330mm)																																									
DT1011	DT1014	DT1031																																								



ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

DESIGN OPTIONS - DT1200 SERIES

1.25" (32mm) dia. ROUND TUBULAR SECTIONS																			
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10.25" (260mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13.25" (337mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19.25" (489mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25.25" (641mm)</td> </tr> <tr> <td>30" (762mm)</td> <td>31.25" (794mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37.25" (946mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>49.25" (1251mm)</td> </tr> <tr> <td>79" (2007mm)</td> <td>80.25" (2038mm)</td> </tr> </tbody> </table>	c.c	oal	9" (229mm)	10.25" (260mm)	12" (305mm)	13.25" (337mm)	18" (457mm)	19.25" (489mm)	24" (610mm)	25.25" (641mm)	30" (762mm)	31.25" (794mm)	36" (914mm)	37.25" (946mm)	48" (1219mm)	49.25" (1251mm)	79" (2007mm)	80.25" (2038mm)
c.c	oal																		
9" (229mm)	10.25" (260mm)																		
12" (305mm)	13.25" (337mm)																		
18" (457mm)	19.25" (489mm)																		
24" (610mm)	25.25" (641mm)																		
30" (762mm)	31.25" (794mm)																		
36" (914mm)	37.25" (946mm)																		
48" (1219mm)	49.25" (1251mm)																		
79" (2007mm)	80.25" (2038mm)																		
DT1211																			
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>18" (457mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>24" (610mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>30" (762mm)</td> </tr> <tr> <td>30" (762mm)</td> <td>36" (914mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>42" (1067mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>54" (1372mm)</td> </tr> <tr> <td>74" (1880mm)</td> <td>80" (2032mm)</td> </tr> <tr> <td>86" (2184mm)</td> <td>92" (2337mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	30" (762mm)	36" (914mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)
c.c	oal																		
12" (305mm)	18" (457mm)																		
18" (457mm)	24" (610mm)																		
24" (610mm)	30" (762mm)																		
30" (762mm)	36" (914mm)																		
36" (914mm)	42" (1067mm)																		
48" (1219mm)	54" (1372mm)																		
74" (1880mm)	80" (2032mm)																		
86" (2184mm)	92" (2337mm)																		
DT1214																			
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10.25" (260mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13.25" (337mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19.25" (489mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25.25" (641mm)</td> </tr> </tbody> </table>	c.c	oal	9" (229mm)	10.25" (260mm)	12" (305mm)	13.25" (337mm)	18" (457mm)	19.25" (489mm)	24" (610mm)	25.25" (641mm)								
c.c	oal																		
9" (229mm)	10.25" (260mm)																		
12" (305mm)	13.25" (337mm)																		
18" (457mm)	19.25" (489mm)																		
24" (610mm)	25.25" (641mm)																		
DT1221																			
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13.25" (337mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	13.25" (337mm)														
c.c	oal																		
12" (305mm)	13.25" (337mm)																		
DT1231																			
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13.25" (337mm)</td> </tr> <tr> <td>16" (406mm)</td> <td>17.25" (438mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	13.25" (337mm)	16" (406mm)	17.25" (438mm)												
c.c	oal																		
12" (305mm)	13.25" (337mm)																		
16" (406mm)	17.25" (438mm)																		
DT1241																			



ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

DESIGN OPTIONS - DT1500 SERIES

1.5" (38mm) dia. ROUND TUBULAR SECTIONS																											
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>18" (457mm)</td><td>19.5" (495mm)</td></tr> <tr><td>24" (610mm)</td><td>25.5" (648mm)</td></tr> <tr><td>30" (762mm)</td><td>31.5" (800mm)</td></tr> <tr><td>36" (914mm)</td><td>37.5" (953mm)</td></tr> <tr><td>48" (1219mm)</td><td>49.5" (1257mm)</td></tr> <tr><td>79" (2007mm)</td><td>80" (2045mm)</td></tr> </tbody> </table>	c.c	oal	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)	30" (762mm)	31.5" (800mm)	36" (914mm)	37.5" (953mm)	48" (1219mm)	49.5" (1257mm)	79" (2007mm)	80" (2045mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>9" (229mm)</td><td>10.5" (267mm)</td></tr> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>18" (457mm)</td><td>19.5" (495mm)</td></tr> <tr><td>24" (610mm)</td><td>25.5" (648mm)</td></tr> </tbody> </table>	c.c	oal	9" (229mm)	10.5" (267mm)	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)
c.c	oal																										
12" (305mm)	13.5" (343mm)																										
18" (457mm)	19.5" (495mm)																										
24" (610mm)	25.5" (648mm)																										
30" (762mm)	31.5" (800mm)																										
36" (914mm)	37.5" (953mm)																										
48" (1219mm)	49.5" (1257mm)																										
79" (2007mm)	80" (2045mm)																										
c.c	oal																										
9" (229mm)	10.5" (267mm)																										
12" (305mm)	13.5" (343mm)																										
18" (457mm)	19.5" (495mm)																										
24" (610mm)	25.5" (648mm)																										
	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>9" (229mm)</td><td>15" (381mm)</td></tr> <tr><td>12" (305mm)</td><td>18" (457mm)</td></tr> <tr><td>18" (457mm)</td><td>24" (610mm)</td></tr> <tr><td>24" (610mm)</td><td>30" (762mm)</td></tr> <tr><td>36" (914mm)</td><td>42" (1067mm)</td></tr> <tr><td>48" (1219mm)</td><td>54" (1372mm)</td></tr> <tr><td>74" (1880mm)</td><td>80" (2032mm)</td></tr> <tr><td>86" (2184mm)</td><td>92" (2337mm)</td></tr> </tbody> </table>	c.c	oal	9" (229mm)	15" (381mm)	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)								
c.c	oal																										
9" (229mm)	15" (381mm)																										
12" (305mm)	18" (457mm)																										
18" (457mm)	24" (610mm)																										
24" (610mm)	30" (762mm)																										
36" (914mm)	42" (1067mm)																										
48" (1219mm)	54" (1372mm)																										
74" (1880mm)	80" (2032mm)																										
86" (2184mm)	92" (2337mm)																										
DT1511	DT1512	DT1514																									

T 1.800.451.0410 | F 412.385.4715 | www.forms-surfaces.com

FORMS+SURFACES®

© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



ROUND DOOR PULLS / DT600-DT1500 SERIES

PRODUCT DATA

DESIGN OPTIONS - DT1500 SERIES

1.5" (38mm) dia. ROUND TUBULAR SECTIONS													
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13.5" (343mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19.5" (495mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25.5" (648mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>26" (406mm)</td> <td>17.5" (444mm)</td> </tr> </tbody> </table>	c.c	oal	26" (406mm)	17.5" (444mm)
c.c	oal												
12" (305mm)	13.5" (343mm)												
18" (457mm)	19.5" (495mm)												
24" (610mm)	25.5" (648mm)												
c.c	oal												
26" (406mm)	17.5" (444mm)												
DT1521	DT1531*												
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13.5" (343mm)</td> </tr> <tr> <td>16" (406mm)</td> <td>17.5" (444mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	13.5" (343mm)	16" (406mm)	17.5" (444mm)	<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>17.125" (435mm)</td> </tr> <tr> <td>16" (406mm)</td> <td>11.125" (537mm)</td> </tr> </tbody> </table>	c.c	oal	12" (305mm)	17.125" (435mm)	16" (406mm)	11.125" (537mm)
c.c	oal												
12" (305mm)	13.5" (343mm)												
16" (406mm)	17.5" (444mm)												
c.c	oal												
12" (305mm)	17.125" (435mm)												
16" (406mm)	11.125" (537mm)												
<table border="1"> <thead> <tr> <th>c.c</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>36" (914mm)</td> <td>37.5" (952mm)</td> </tr> </tbody> </table>	c.c	oal	36" (914mm)	37.5" (952mm)									
c.c	oal												
36" (914mm)	37.5" (952mm)												
DT1541	DT1542	DT1552/1562											

*DT1531 is only offered in Stainless Steel.